



EVERY OIL CHANGE IS EITHER AN OPPORTUNITY GAINED TO BETTER SERVICE today's vehicles or an opportunity lost as your shop lacks the necessary inventory to get the job done.

Which will you be?

As more rigorous and specific recommendations come from OEM factory floors, the range of new specialized oils has expanded exponentially to meet those needs. If you don't stock the specialty motor oils—varieties of synthetic, synthetic-blend, high-mileage, and diesel—to service the vehicles rolling through your bays, rest assured your competitors are taking advantage. That's why NOLN has compiled the annual Specialty Motor Oil Guide presented by Valvoline Global Products, a comprehensive list of the specialty motor oils available.

What is specialty motor oil? It's anything that falls outside the term conventional oil. Inside, you'll find a growing list of high-tech synthetic oils as well as synthetic blends. These oils cater to a growing array of SAE grades as required by manufacturers, but they also address driver needs. Varieties of high-mileage, truck oil and even hybrid oils have been developed to help customers choose the right product.

NOLN also lists which engine oil specifications a product meets, be it API, ILSAC, ACEA, dexos or other.

Don't let tomorrow's opportunity pass you by. Be sure your shop is stocked with every oil the market demands.

SPONSORED BY

PROUDLY POURING™



Valvoline.

Product Name	API Specs Met/ ExxonMobil Recommended	ILSAC Specs Met/ ExxonMobil Recommended	ACEA Specs Met/ ExxonMobil Recommended	dexos Specs Met / ExxonMobil Recommended	SAE Grades Available
Mobil 1	API SP Resource Conserving, SP, SN Plus, SN (5W-20, 5W-30, 10W-30); API SN (15W-50)	GF-6A (5W-20, 5W-30, 10W-30)		GM Dexos1Gen3 (5W-30)	5W-20, 5W-30, 10W-30, 15W-50
Mobil 1 High Mileage	API SP Resource Conserving, SP, SN Plus, SN (0W-20, 5W-20, 5W-30, 10W-30); API SP, SN Plus, SN (10W-40)	GF-6A (0W-20, 5W-20, 5W-30, 10W-30)			0W-20, 5W-20, 5W-30, 10W-30, 10W-40
Mobil 1 Advanced Fuel Economy	API SP Resource Conserving, JASO GLV-1 (0W-8); API SP Resource Conserving, SP, SN Plus, SN (0W-16, 0W-20, 0W-30)	GF-6B (0W-16); GF-6A (0W-20, 0W-30)			0W-8, 0W-16, 0W-20, 0W-30
Mobil 1 ESP, ESP X2, ESP X4	API SP Engine Test requirements (X2 0W-20, 0W-30); API CF, SP (X4 0W-40); API SP (5W-30)		C6, C5 (X2 0W-20); C3 (0W-30, 5W-30); C2, C3 (X4 0W-40)	DexosD (X2 0W-20)	0W-20, 0W-30, 0W-40, 5W-30
Mobil 1 FS, FS X2	API SP, SN Plus, SN (0W-40, 5W-40, X2 5W-50); API CF, SL, SP Engine test requirements (5W-30)		A3/B4 (0W-40, 5W-40, X2 5W-50, 5W-30)		0W-40, 5W-40, 5W-50, 5W-30
Mobil Full Synthetic	API SP Resource Conserving, SP, SN Plus, SN (0W-20, 5W-20, 5W-30)	GF-6A (0W-20, 5W-20, 5W-30)		GM Dexos1Gen3 (5W-30)	0W-20, 5W-20, 5W-30
Mobil Full Synthetic High Mileage	API SP Resource Conserving, SP, SN Plus, SN (0W-20, 5W-20, 5W-30)	GF-6A (0W-20, 5W-20, 5W-30)			0W-20, 5W-20, 5W-30
Mobil Super Synthetic Euro	API SP, SN Plus, SN, CF (5W-40)		A3/B4 (5W-40)		5W-40
Mobil Super	API SP Resource Conserving, SP, SN Plus, SN (5W-20, 5W-30, 10W-30); API SP, SN Plus, SN (10W-40)	GF-6A (5W-20, 5W-30, 10W-30)			5W-20, 5W-30, 10W-30, 10W-40
Mobil Special	API SP Resource Conserving, SP, SN Plus, SN (5W-20, 5W-30, 10W-30); API SP, SN Plus, SN (10W-40)	GF-6A (5W-20, 5W-30, 10W-30)			5W-30, 5W-30, 10W-30, 10W-40
Mobil Delvac 1 ESP	API SN, CK-4 (0W-40, 5W-30, 5W-40)		E9, E7 (5W-30); E11, E7 (5W-40)		0W-40, 5W-40, 5W-30
Mobil Delvac Extreme	API SM, CK-4 (15W-40); API CK-4 (10W-30)		E11, E7 (10W-30, 15W-40)		10W-30, 15W-40
Mobil Delvac 1300 Super	API SP, SN, CK-4 (10W-30, 15W-40)		E11, E7 (10W-30, 15W-40)		10W-30, 15W-40



Your shop. Your hustle. Your success.
Powered by Mobil™



© 2025 ExxonMobil. All rights reserved. All trademarks used herein are trademarks or registered trademarks of Exxon Mobil Corp or one of its subsidiaries.

Hot Shot's Secret

800.341.6516

HotShotSecret.com



Product Name	API Specs Met	ILSAC Specs Met	ACEA Specs Met	dexos Specs Met / Is it Licensed Y or N?	Other Specs Met	SAE Grades Available
RED DIAMOND ULTIMATE 100% Group III FULL SYNTHETIC Passenger Car Motor Oil	API SP	ILSAC GF-6A		DEXOS 1 GEN 3	WSS-M2C962-A1(0W-20), WSS-M2C960-A1(5W-20), WSS-M2C961-A1(5W-30), Chrysler® MS-6395	0W-20, 5W-20, 5W30
GRAY DIAMOND EURO 100% Group III FULL SYNTHETIC Motor Oil 5W-30	API SN		ACEA C3	GM Dexos 2	BMW LL-04, Chrysler MS-11106 Mercedes Benz MB 229.51 Porsche C30 Volkswagen VW 504.00, 507.00	5W-30
GRAY DIAMOND EURO 100% Group III FULL SYNTHETIC Motor Oil 5W-40	API CF, SN		ACEA C3	GM Dexos 2	BMW LL-04 Chrysler MS-10850, MS-12991 Ford WSS-M2C917-A Mercedes Benz MB 229.31, 229.51 Porsche A40 Renault RN0700, RN0710 Volkswagen VW 502.00, 505.01	5W-40
GREEN DIAMOND 100% Group III FULL SYNTHETIC Light Duty Diesel Motor Oil 0W-20				dexos™D		0W-20
GREEN DIAMOND FLEET 100% Group III FULL SYNTHETIC 10W-30	API CK-4		E7,E9		Caterpillar ECF-1-a, ECF-2 and ECF-3 Detroit Diesel DDC93K218 & DFS 93K222 Cummins CES 20081, CES 20086 Mack EO-O Premium Plus, EOS-4.5 Deutz DQC III-10 LA, CF Ford WSS-M2C171-F1, Volvo VDS-4, VDS-4.5, VDS-3, ACEA E7, E9 MB 228.31 MAN 3275 & 3575 JASO DH-2 MTU Type2.1, Type I & II Renault VI RLD-3, VI RLD-4	10W-30
GREEN DIAMOND FLEET 100% Group III FULL SYNTHETIC Heavy Duty Engine Oils	API CK-4		E7,E9		Caterpillar ECF-1-a, ECF-2 and ECF-3 Detroit Diesel DDC93K215, DDC93K214, DDC93K218, DDC93K222 Cummins CES 20081, CES 20086 Mack EO-O Premium Plus, EOS-4.5 Deutz DQC III-10 LA Ford WSS-M2C171-F1 Volvo VDS-4, VDS-4.5 B 228.31 MAN 3575 JASO DH-2 Renault VI RLD-3, RLD-4	5W-40, 15W40
GREEN DIAMOND FLEET 15W-40 SEMI-SYNTHETIC Heavy Duty Engine Oils	API CK-4		E7,E9		Caterpillar ECF-1-a, ECF-2 and ECF-3 Detroit Diesel DDC93K215, DDC93K214, DDC93K218, DDC93K222 Cummins CES 20081, CES 20086 Mack EO-O Premium Plus, EOS-4.5 Deutz DQC III-10 LA Ford WSS-M2C171-F1 Volvo VDS-4, VDS-4.5 MB 228.31 MAN 3575 JASO DH-2 Renault VI RLD-3, RLD-4	15W-40
BLUE DIAMOND SEVERE DUTY 100% Group IV PAO Synthetic 10W-30	API CK-4		E7,E9		Caterpillar ECF-1-a, ECF-2 and ECF-3 Detroit Diesel DDC93K218, DDC93K222 Cummins CES 20081, CES 20086 Mack EO-O Premium Plus, EOS-4.5 Deutz DQC III-10 LA, DQC III-18LA, Ford WSS-M2C171-F1 Volvo VDS-4, VDS-4.5 MB 228.31 MAN 3575 JASO DH-2 Renault VI RLD-3, RLD-4	10W-30
BLUE DIAMOND SEVERE DUTY 100% Group IV PAO Synthetic Engine Oils	API CK-4		E7,E9		Caterpillar ECF-1-a, ECF-2 and ECF-3 Detroit Diesel DDC93K215, DDC93K214, DDC93K218, DDC93K222 Cummins CES 20081, CES 20086 Mack EO-O Premium Plus, EOS-4.5 Deutz DQC III-10 LA, DQC III-18LA, Ford WSS-M2C171-F1 Volvo VDS-4, VDS-4.5 MB 228.31 MAN 3575 JASO DH-2 Renault VI RLD-3, RLD-4	5W-40, 15W-40
BLACK DIAMOND OUTLAW 100% Group IV PAO Synthetic	N/A	N/A	N/A	N/A	CK-4 with High Zinc & TBN for non-emissions engines	10W-30, 15W-40
ADRENALINE RACING R2 100% Group IV PAO Synthetic 5W-20	N/A	N/A	N/A	N/A	N/A	5W-20
ADRENALINE RACING R3 100% Group IV PAO Synthetic 10W-30	N/A	N/A	N/A	N/A	N/A	10W-30
ADRENALINE RACING R4 100% Group IV PAO Synthetic 15W-40	N/A	N/A	N/A	N/A	N/A	15W-40
ADRENALINE RACING R5 100% Group IV PAO Synthetic 20W-50	N/A	N/A	N/A	N/A	N/A	20W-50
ADRENALINE RACING R6 ALKY 100% Group IV PAO Synthetic 60W	N/A	N/A	N/A	N/A	N/A	60W



Mighty Auto Parts

770.448.3900

mightyautoparts.com



Product Name	API Specs Met	ILSAC Specs Met	ACEA Specs Met	dexos Specs Met / Is it Licensed Y or N?	Other Specs Met	SAE Grades Available
Mighty Engine Guard Full Synthetic	SP	GF-6B				0W/16
Mighty Engine Guard Full Synthetic	SP	GF-6A		dexos1 Gen2		0W/20, 5W/30
Mighty Engine Guard Full Synthetic	SP	GF-6A				5W/20, 5W/20, 10W/30
Mighty Engine Guard Full Synthetic *NEW	SP					5W/50
Mighty Engine Guard Full Synthetic Euro	SN		A3/B3, A3/B4		BMW LL-01, MB229.3/229.5, Opel GM-LL-B-025, Porsche A40, VW501.01, 502.00, 505.00	5W/40
Mighty Engine Guard Synthetic Blend	SP	GF-6A			Multiple	0W/20, 5W/20, 5W/30, 10W/30
Mighty Engine Guard Synthetic Blend	SP				Multiple	10W/40, 20W/50
Mighty Engine Guard Full Synthetic Diesel Engine Oil	SN-CK-4		E9,E7,E4,E2		Multiple	5W/40
Mighty Engine Guard Synthetic Blend Diesel Engine Oil	CK-4		E9,E7,E4,E2		Multiple	15W/40, 10W/30
Mighty Engine Guard Synthetic Blend High Mileage Engine Oil	SP	GF-6A			Multiple	5W/20, 5W/30



Product Name	API Specs Met	ILSAC Specs Met	ACEA Specs Met	dexos Specs Met / Is it Licensed Y or N?	Other Specs Met	SAE Grades Available
DuraMAX Synthetic Blend	SP Resource Conserving, SN PLUS	GF-6A			Chrysler MS-6395, Ford WSS-M2C945-B1 (SAE 5W-20), Ford WSS-M2C960-A1 (SAE 5W-20), Ford WSS-M2C946-B1 (SAE 5W-30), Ford WSS-M2C961-A1 (SAE 5W-30), GM 6094M (SAE 5W-20, 5W-30, 10W-30)	
DuraMAX Synthetic Blend	SP, SN Plus					
DuraMAX Synthetic Blend High Mileage	SP Resource Conserving, SN PLUS	GF-6A			Chrysler MS-6395, Ford WSS-M2C945-B1 (SAE 5W-20), Ford WSS-M2C960-A1 (SAE 5W-20), Ford WSS-M2C946-B1 (SAE 5W-30), Ford WSS-M2C961-A1 (5W-30), GM 6094M	
DuraMAX Synthetic Blend High Mileage	SP Resource Conserving, SN PLUS					
DuraMAX Full Synthetic dexos 1 Gen 3	SP Resource Conserving, SN PLUS	GF-6A		dexos 1 Gen 3	Chrysler MS-6395, Ford WSS-M2C962-A1 (0W-20), Ford WSS-M2C961-A1 (5W-30)	
DuraMAX Full Synthetic dexos D	SP, SN Plus		C5, C6	dexos D	Ford WSS-M2C952-A1 Jaguar Land Rover STJLR.03.5006 Mercedes-Benz MB 229.71 Opel OV0401547	
DuraMAX Full Synthetic	SP Resource Conserving, SN PLUS	GF-6A			"Chrysler MS-6395, Ford WSS-M2C962-A1, WSS-M2C947-B1 (0W-20), Ford WSS-M2C960-A1, WSS-M2C945-B1 (5W-20), Ford WSS-M2C961-A1, WSS-M2C946-B1 (5W-30) GM 6094M"	
DuraMAX XLT Full Synthetic	SP Resource Conserving, SN PLUS	GF-6A		dexos 1 Gen 3 (0W-20, 5W30)	Ford WSS-M2C962-A1 (0W-20), Ford WSS-M2C960-A1 (5W-20), Ford WSS-M2C961-A1 (5W-30), Chrysler MS-6395	
DuraMAX XLT Full Synthetic					JASO GLV-1	
DuraMAX XLT Full Synthetic	SP Resource Conserving, SN PLUS	GF-6B			Ford WSS-M2C952-A1, Jaguar Land Rover STJLR.03.5006, Mercedes-Benz MB 229.71, Opel OV0401547	
DuraMAX XLT Euro Full Synthetic	SN (0W-40, 5W-30, 5W-40) SL (0W-30), SP Resource Conserving (0W-20)	GF-6A (0W-20)	A3/B4 (0W-30, 0W-40, 5W-40) C3-21 (5W-30), C5-21 (0W-20)		BMW LL-01, BMW LL-04 (5W-30), MB 226.5 (0W-30), MB 229.3, 229.5, MB 229.31 (5W-30), MB 229.51 (5W-30), MB 229.71 (0W-20), Porsche A40 (0W-40, 5W-40), Porsche C20 (0W-20), Renault RN 0700/0710, VW 501.01/502.00/505.00 (0W-30, 5W-40), VW 502.00/505.00 (0W-40), VW 505.00/505.01 (5W-30), VW 508.00/509.00 (0W-20)	



Product Name	API Specs Met	ILSAC Specs Met	ACEA Specs Met	dexos Specs Met / Is it Licensed Y or N?	Other Specs Met	SAE Grades Available
Royal Purple High Performance Full Synthetic Motor Oil SAE 0W-20	SP, SN Plus, SN, SM	GF-6A		dexos1, Y	Chrysler FCA US MS-6395, Ford WSS-M2C962-A	
Royal Purple High Performance Full Synthetic Motor Oil SAE 5W-20	SP, SN Plus, SN, SM	GF-6A		dexos1, N	Chrysler FCA US MS-6395, Ford WSS-M2C960-A	
Royal Purple High Performance Full Synthetic Motor Oil SAE 5W-30	SP, SN Plus, SN, SM	GF-6A		dexos1, Y	Chrysler FCA US MS-6395, Ford WSS-M2C961-A	
Royal Purple High Performance Full Synthetic Motor Oil SAE 10W-30	SP, SN Plus, SN, SM	GF-6A		N	Chrysler FCA US MS-6395, GM 6094M	
Royal Purple High Performance Full Synthetic Motor Oil Euro Formulation SAE 0W-40	SP, SN Plus, SN, SM	n/a	A3/B4-21		BMW LL-01; MB 226.5, 229.3 & 229.5; Porsche A40; PSA B71 2296; RN 0700/0710; VW 502.00 & 505.00	
Royal Purple High Performance Full Synthetic Motor Oil Euro Formulation SAE 5W-40	SP, SN Plus, SN, SM	n/a	A3/B4-21		BMW LL-01; MB 226.5, 229.3 & 229.5; Porsche A40; PSA B71 2296; RN 0700/0710; VW 502.00 & 505.00	
Royal Purple HMX High Mileage Full Synthetic Motor Oil						0W-20, 5W-20, 5W-30, 10W-30
Royal Purple HPS High Performance Street Full Synthetic Motor Oil						5W-20, 5W-30, 10W-30, 10W-40, 20W-50
Royal Purple Duralec Super Diesel Motor Oil	CK-4, CJ-4, CI-4+	n/a	E7-16, E9-16		*CAT ECF-3, Cummins CES 20086, Daimler MB 228.31, Detroit Diesel DFS 93K222, Deutz DQC III-10 LA, Ford WSS-M2C171-F1, JASO DH-2, Mack EO-S-4.5, MTU Type 2.1, Renault RLD-4, Volvo VDS-4.5"	10W-30, 5W-40, 15W-40
Royal Purple High Performance Full Synthetic European Formulation SAE 5W-30	SN	n/a	C3-21		BMW Longlife-04; MB 229.31 & 229.51, Porsche C30; VW 504.00 & 507.00	
Royal Purple High Performance Ultra-Low Viscosity Motor Oil SAE 0W-16	SP	GF-6B				
Royal Purple Max-Clean Fuel System Cleaner & Fuel Stabilizer						
Royal Purple Max Atomizer Fuel Injector Cleaner						
Royal Purple Max-Restore High Mileage Fuel Injector Cleaner						
Royal Purple Max-Boost Octane Booster & Stabilizer						
Royal Purple Max-Tane All-In-One All-Season Diesel Fuel Additive						
Purple Ice Cooling System Optimizer & Conditioner						

Product Name	API Specs Met	ILSAC Specs Met	ACEA Specs Met	dexos Specs Met / Is it Licensed Y or N?	Other Specs Met	SAE Grades Available
TotalEnergies Quartz INEO XTRA Dynamics	API SN-RC	ILSAC GF-5	ACEA C5		Aston Martin V12 engines, BMW LL-17 FE+ (Backward Compatible with BMW LL-14FE+), Suitable for Ford WSS-M2C952-A1	0W-20
TotalEnergies Quartz INEO XTRA EC6 0W-20	API SP	ILSAC GF-6A	ACEA C6		Aston Martin V12 engines, MB 229.72, Ford WSS-M2C947-B1/WSS-M2C962-A1, STJLR 03.5006, Volvo, VCC RBS0-2AE, Fiat 9.55535-GSX, Chrysler MS-12145	0W-20
TotalEnergies Quartz INEO XTRA Efficiency 0W-12	API SP	ILSAC GF-6A	ACEA C6		BMW LL-22FE++	0W-12
TotalEnergies Quartz INEO XTRA FDE 0W-20	API SP		ACEA C6 & ACEA C5	DexosD	MB-Approval 229.71, Opel/ Vauxhall OV 040 1547 -A20, Ford WSS-M2C952-A1, Jaguar Land Rover STJLR 03.5006	0W-20
TotalEnergies Quartz INEO XTRA Long Life 0W-20	AP SP (RC)	ILSAC GF-6A	ACEA C6 & C5		VW 508.00/509.00, Porsche C20, Ford WSS-M2C956-A1	0W-20
TotalEnergies Quartz INEO Efficiency 0W-30	API SP		ACEA C2 & C3		BMW LL19, BMW LL-04, Recommended by Kia, Suitable for LL-12FE	0W-30
TotalEnergies Quartz INEO FGO 5W-40	API SN		ACEA C3		BMW LL-04, MB-Approval 229.52, VW 511.00, Porsche C40, Meets GM Dexos 2	5W-40
TotalEnergies Quartz INEO Long Life 0W-30			ACEA C3		VW 504.00 / 507.00, Porsche C30, BMW LL-04, MB-Approval 229.52	0W-30, 5W-30
TotalEnergies Quartz INEO MC3 5W-30	API SN Plus / CF		ACEA C3		BMW LL-04, MB-APPROVAL 229.52	5W-30
TotalEnergies Quartz INEO Racing 10W-60	API SN		ACEA C3		Aston Martin V8 Naturally aspirated engines, Meets requirements of BMW M-Series	10W-60
TotalEnergies Quartz 9000 XTRA 0W-8					JASO GLV-1	0W-8
TotalEnergies Quartz 9000 XTRA Future XT 0W-16	API SP-RC	ILSAC GF-6B			Suitable for Toyota, Honda, Nissan, Mitsubishi, Suzuki, and Mazda	0W-16
TotalEnergies Quartz 9000 XTRA Future FGC 0W-20	API SP	ILSAC GF-6A		Dexos1 Gen 3	Ford WSS-M2c962-A1, Meets requirements of Chrysler CM 6395, Suitable for Japanese and Korean OEM	0W-20
TotalEnergies Quartz 9000 Future XT	API SP	ILSAC GF-6A			Ford WSS-M2C960-A1, Ford WSS-M2C961-A1, Meets technical requirements of many American and Asian OEMs	5W-30, 10W-30, 5W-20
TotalEnergies Quartz 9000 Future FGC	API SP	ILSAC GF-6A		Dexos1 Gen 3	Ford WSS-M2C961-A1, Meets requirements of Chrysler MS 6395, Meets or surpasses technical requirements of many other American and Asian OEM	5W-30
TotalEnergies Quartz 9000 Energy	API SP/CF		ACEA A3/B4		MB-Approval 229.5, VW 502.00/505.00, Porsche A40, BMW LL-01	0W-30, 0W-40, 5W-40
TotalEnergies Quartz 7000 Future XT	API SP	ILSAC GF-6A			Ford WSS-M2C960-A1, Meets the technical requirements of other American and Asian OEMs	5W-20, 5W-30, 10W-30

QUARTZ
ENGINE OIL
PREMIUM EUROPEAN OIL



Valvoline Global Operations

1.800.TEAM.VAL

valvolineglobal.com

PROUDLY POURING..



Product Name	API Specs Met	ILSAC Specs Met	ACEA Specs Met	dexos Specs Met / Is it Licensed Y or N?	Other Specs Met	SAE Grades Available
Valvoline Restore & Protect™ Premium Full Synthetic	API SQ, API SP, API SN Plus, Resource Conserving	GF-7A		No		0W-20, 5W-20, 5W-30
Valvoline Advanced Protection Full Synthetic	API SQ/SP/SN Plus/Resource Conserving: 0W-16, 0W-20, 5W-20, 5W-30, 10W-30, API SQ/SP/SN Plus: 20W-50	GF-7A: 0W-20, 5W-20, 5W-30, 10W-30, GF-7B: 0W-16		Dexos 1 Gen3: 0W-20, 5W-30	JASO M364 GLV-1: 0W-8	0W-8, 0W-16, 0W-20, 5W-20, 5W-30, 10W-30, 20W-50
Valvoline European Vehicle Full Synthetic			5W-30 XL-III: ACEA C3, 0W-20: ACEA C5, 0W-30: ACEA C3, 0W-40: ACEA A3/B3, A3/B4, 5W-30: ACEA A3/B3, A3/B4, A5 B5, 5W-40: ACEA A3/B3, A3/B4	No	See PI Sheets	0W-20, 0W-30, 5W-30, 5W-30 XL-III, 5W-40
Valvoline MAXLIFE High Mileage Full Synthetic	API SQ/SP/SN Plus/Resource Conserving: 0W-20, 5W-20, 5W-30, 10W-30	GF-7A		No		0W-20, 10W-30, 5W-20, 5W-30
Valvoline MAXLIFE High Mileage Synthetic Blend	API SQ/SP/SN Plus/Resource Conserving: 5W-20, 5W-30, 10W-30, API SQ/SP/SN Plus: 10W-40, 20W-50	GF-7A: 5W-20, 5W-30, 10W-30		No		5W-20, 5W-30, 10W-30, 10W-40, 20W-50
Valvoline Daily Protection Synthetic Blend	API SQ/SP/Resource Conserving: 5W-20, 5W-30, 10W-30, API SQ/SP: 10W-40, 20W-50	GF-7A: 5W-20, 5W-30, 10W-30		No		5W-20, 5W-30, 10W-30, 10W-40, 20W-50
Valvoline Synthetic dexos D Diesel	API SP/SN Plus		ACEA C5	dexos D		0W-20

